

## Spin Crossover in Ferropericlase at High Pressure: A Seismically Hidden Transition?

D. Antonangeli, J. Siebert, C. Aracne, D. Farber, A. Bosak, M. Hoesch, M. Krisch, F. Ryerson, G. Fiquet, J. Badro

**September 14, 2010** 

AGU Fall Meeting 2010 San Francisco, CA, United States December 13, 2010 through December 17, 2010

## Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor Lawrence Livermore National Security, LLC, nor any of their employees makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

## Spin Crossover in Ferropericlase at High Pressure: A Seismically Hidden Transition?

Daniele Antonangeli<sup>1,2,\*</sup>, Julien Siebert<sup>1,2</sup>, Chantel M. Aracne<sup>2</sup>, Daniel L. Farber<sup>2,3</sup>, A. Bosak<sup>4</sup>, M. Hoesch<sup>4</sup>, M. Krisch<sup>4</sup>, Frederick J. Ryerson<sup>2</sup>, Guillaume Figuet<sup>1</sup>, James Badro<sup>1,2</sup>

The characterization of pressure- and temperature-induced transitions of mantle minerals, and their link with seismic discontinuities, is one of the most striking contributions provided by mineral physics for the understanding of Earth's interior. Emblematic in this sense is the series of phase transformations that occur in olivine, which ultimately define the main seismic discontinuities of the upper mantle.

On the contrary, the spin transition in ferropericlase and perovskite has not yet been clearly related to any seismic signature, even though effects on mantle's density and seismic wave velocity have been anticipated. With specific regard to ferropericlase, the spin transition occurs without change in the structure, but experimental [1-3] and theoretical studies [4] indicate large softening of all the elastic moduli and consequently significant softening of the aggregate sound velocities. Such an effect should result in a seismic discontinuity or anomaly, albeit broad, depending upon the range of the pressure and temperature over which the spin crossover occurs [5]. However, no seismic anomalies are observed at relevant depth.

Here we present measurements of the complete elastic tensor of (Mg<sub>0.83</sub>Fe<sub>0.17</sub>)O-ferropericlase up to 70 GPa by inelastic x-ray scattering. From the initial slope of the phonon dispersion of longitudinal and transverse acoustic modes we directly derived the three independent elements of the elastic tensor. While a clear softening of the shear modulus C<sub>44</sub> occurs at the spin transition, along with a small anomaly for C<sub>12</sub>, we observe no softening for the longitudinal modulus C<sub>11</sub>. As a direct consequence of the absence of anomalies in C<sub>11</sub>, the derived density dependence of the aggregate compressional and shear sound velocities does not show any significant deviation from the linear trend. This provides a clear explanation for the lack of any one-dimensional seismic signature in the lower mantle directly related to the spin crossover. Conversely, the elastic shear anisotropies of high-spin and low-spin ferropericlase are profoundly different, and may account for, if not control, the shear wave anisotropy within the lower mantle.

## References

- [1] J.C. Crowhurst et al., Science 319, 451 (2008).
- [2] H. Marquardt et al., Science **324**, 224 (2009).
- [3] H. Marquardt et al., Earth Planet. Sci. Lett. 287, 345 (2009).
- [4] R.M. Wentzcovich et al., PNAS **106**, 8447 (2009).
- [5] J.F. Lin et al., Science 317, 1740 (2007).

This work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract DE-AC52-07NA27344.